

**Subject:** Re: Collection State for ECHO10 Collections  
**Date:** Thursday, April 26, 2018 at 11:33:08 AM Eastern Daylight Time  
**From:** Pals, Jon L. (GSFC-423.0)[RAYTHEON CO]  
**To:** Mathews, Tiffany J. (LARC-E301)[Science Systems & Applications, Inc.]

Tiffany,

Yes, the capitalization changes have been made in the ESDT descriptor files that I haven't sent to Bill yet.

Jon

On 04/26/2018 11:27 AM, Mathews, Tiffany J. (LARC-E301)[Science Systems & Applications, Inc.] wrote:

Thanks so much Jon, were you able to fix the caps for the others? If so, we can have this be another off the list 😊

**Tiffany Trapasso, PMP**

*Technical Analyst and Communication Specialist, SSAI*  
NASA Langley Atmospheric Science Data Center (ASDC) Hampton, VA  
(540) 295-4978 Mobile  
(757) 864-5810 Office

[Tiffany.Trapasso@nasa.gov](mailto:Tiffany.Trapasso@nasa.gov)

Please be mindful about forwarding this e-mail; it may contain confidential information that is not intended for anyone else. Thank you.

---

**From:** "Pals, Jon L. (GSFC-423.0)[RAYTHEON CO]" <[jon.l.pals@nasa.gov](mailto:jon.l.pals@nasa.gov)>  
**Date:** Thursday, April 26, 2018 at 10:21 AM  
**To:** "Mathews, Tiffany J. (LARC-E301)[Science Systems & Applications, Inc.]" <[tiffany.trapasso@nasa.gov](mailto:tiffany.trapasso@nasa.gov)>  
**Subject:** Re: Collection State for ECHO10 Collections

Tiffany,

For those 3 MISR products, I already have their collection states set to "IN WORK" in the ESDT descriptor files. :)

Jon

On 04/26/2018 10:03 AM, Mathews, Tiffany J. (LARC-E301)[Science Systems & Applications, Inc.] wrote:

Jon,

Jon,

I comply- I am not sure where the ARC team got their information, however, I am certain that if we're still getting granules then it is best set as "IN WORK."

I just did my due diligence and see that we have granules for these products all the way through to the past few days so definitely, let's mark these as "IN WORK" if they are not already marked that way 😊

**Tiffany Trapasso, PMP**

*Technical Analyst and Communication Specialist, SSAI*

NASA Langley Atmospheric Science Data Center (ASDC) Hampton, VA

(540) 295-4978 Mobile

(757) 864-5810 Office

[Tiffany.Trapasso@nasa.gov](mailto:Tiffany.Trapasso@nasa.gov)

Please be mindful about forwarding this e-mail; it may contain confidential information that is not intended for anyone else. Thank you.

---

**From:** "Pals, Jon L. (GSFC-423.0)[RAYTHEON CO]"

[<jon.l.pals@nasa.gov>](mailto:jon.l.pals@nasa.gov)

**Date:** Thursday, April 26, 2018 at 9:32 AM

**To:** "Mathews, Tiffany J. (LARC-E301)[Science Systems & Applications, Inc.]" [<tiffany.trapasso@nasa.gov>](mailto:tiffany.trapasso@nasa.gov)

**Subject:** Re: Collection State for ECHO10 Collections

Hi Tiffany,

Here is what I see for the 3 MISR products for which the ARC Team recommends a collection state of "COMPLETE":

MIL2TCCF.001 - Granules were added today  
(see

<ftp://15ft101.larc.nasa.gov/MISR/MIL2TCCF.001/2018.04.25/>)

MIL2TCSF.001 - Granules were added today  
(see

<ftp://15ft101.larc.nasa.gov/MISR/MIL2TCSF.001/2018.04.25/>)

MIRCCMF.001 - Granules were added yesterday (see <ftp://15ft101.larc.nasa.gov/MISR/MIRCCMF.001/2018.04.25/>)

I recommend that their collection states be "IN WORK" instead of "COMPLETE".

For the 26 TES products in the spreadsheet, I have changed the collection state to "IN WORK" in the ESDT descriptor files for 25 of them. For TL3HNOD.004, I have changed the collection state to "COMPLETE" since no granules have been added since 11/18/2014.

Please let me know if you have questions.

Jon

On 04/26/2018 09:02 AM, Mathews, Tiffany J. (LARC-E301) [Science Systems & Applications, Inc.] wrote:

Jon,

When you have a moment, the products in the attached spreadsheet are the ones called out by the ARC report that need updates to the collection state. Most are just to change the capitalization of the field to all caps, however, there are 3 MISR products that need to be marked as complete since no updates have been made since 2014.

Thanks so much!

**Tiffany Trapasso, PMP**

*Technical Analyst and Communication Specialist, SSAI*  
NASA Langley Atmospheric Science Data Center (ASDC)  
Hampton, VA

(540) 295-4978 Mobile

(757) 864-5810 Office

[Tiffany.Trapasso@nasa.gov](mailto:Tiffany.Trapasso@nasa.gov)

Please be mindful about forwarding this e-mail; it may contain confidential information that is not intended for anyone else. Thank you.

--

Jon L Pals  
Raytheon Company

+1 301 851 8348 (office)

[jon.l.pals@nasa.gov](mailto:jon.l.pals@nasa.gov)

5700 Rivertech Court  
Riverdale Maryland 20737-1250 USA  
[www.raytheon.com](http://www.raytheon.com)

This message contains information that may be confidential and privileged. Unless you are the addressee (or authorized to receive mail for the addressee), you should not use, copy or disclose to anyone this message or any information contained in this message. If you have received this message in error, please so advise the sender by reply e-mail and delete this message. Thank you for your cooperation.

--

Jon L Pals  
Raytheon Company

+1 301 851 8348 (office)

[jon.l.pals@nasa.gov](mailto:jon.l.pals@nasa.gov)

5700 Rivertech Court  
Riverdale Maryland 20737-1250 USA  
[www.raytheon.com](http://www.raytheon.com)

This message contains information that may be confidential and privileged. Unless you are the addressee (or authorized to receive mail for the addressee), you should not use, copy or disclose to anyone this message or any information contained in this message. If you have received this message in error, please so advise the sender by reply e-mail and delete this message. Thank you for your cooperation.

--

Jon L Pals  
Raytheon Company

+1 301 851 8348 (office)

[jon.l.pals@nasa.gov](mailto:jon.l.pals@nasa.gov)

5700 Rivertech Court  
Riverdale Maryland 20737-1250 USA  
[www.raytheon.com](http://www.raytheon.com)

This message contains information that may be confidential and privileged. Unless you are the addressee (or authorized to receive mail for the addressee), you should not use, copy or disclose to anyone this message or any information contained in this message. If you have received this message in error, please so advise the sender by reply e-mail and delete this message. Thank you for your cooperation.

